L Number	Hits	Search Text	DB	Time stamp
1	20311913	@ad<=20010308	USPAT;	2004/06/27
			US-PGPUB; EPO; JPO; DERWENT;	08:19
2	409	throughput and utilization and (allocat\$ near3 resource) and partition	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/27 08:20
3	289	<pre>@ad<=20010308 and (throughput and utilization and (allocat\$ near3 resource) and partition)</pre>	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/27 08:20
4	25	baskey.inv.	IBM_TDB USPAT;	2004/06/27
5	285	(@ad<=20010308 and (throughput and utilization and (allocat\$ near3 resource) and partition)) not baskey.inv.	US-PGPUB USPAT; US-PGPUB	2004/06/27 08:21
6	16	throughput with utilization with divid\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/27 08:21
7	15	(throughput with utilization with divid\$3) not baskey.inv.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/27 08:21
8	14	<pre>@ad<=20010308 and ((throughput with utilization with divid\$3) not baskey.inv.)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/27 08:21
-	3	baskey.inv. and inter-partition.ti.	IBM_TDB USPAT; US-PGPUB	2004/06/26
-	354	inter\$1operability with operating	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/26 20:49
- -	23	(throughput and resource) with partition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/26 20:51
-	10	@ad<=20010308 and ((throughput and resource) with partition)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/26 20:51
-	4	(inter\$1operability with operating) and (@ad<=20010308 and ((throughput and resource) with partition))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/26 20:52
-	6	(@ad<=20010308 and ((throughput and resource) with partition)) not baskey.inv.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/26 20:59
-	5	((@ad<=20010308 and ((throughput and resource) with partition)) not baskey.inv.) not international.as.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/26 20:59

_	25	(throughput and util\$) with partition	USPAT; US-PGPUB; EPO; JPO;	2004/06/26 20:57
1			DERWENT;	
_	4	(inter\$loperability with operating) and	IBM_TDB USPAT;	2004/06/26
_	1	((throughput and util\$) with partition)	US-PGPUB;	20:57
			EPO; JPO;	
			DERWENT;	
-	15	@ad<=20010308 and ((throughput and util\$)	USPAT;	2004/06/26
		with partition)	US-PGPUB; EPO; JPO;	20:57
			DERWENT;	
_	1	((@ad<=20010308 and ((throughput and	IBM_TDB USPAT;	2004/06/26
	1	resource) with partition)) not	US-PGPUB;	20:57
	İ	baskey.inv.) and (((@ad<=20010308 and ((throughput and resource) with	EPO; JPO; DERWENT;	
		partition)) not baskey.inv.) not	IBM_TDB	
		international.as.) and (@ad<=20010308 and	_	
_	4	((throughput and util\$) with partition)) ((@ad<=20010308 and ((throughput and	USPAT;	2004/06/26
		resource) with partition)) not	US-PGPUB;	20:58
		baskey.inv.) not international.as. not ibm.as.	EPO; JPO; DERWENT;	
			IBM_TDB	
_	11	(@ad<=20010308 and ((throughput and util\$) with partition)) not baskey.inv.	USPAT; US-PGPUB;	2004/06/26
		desity, when pareferent, neer submervent.	EPO; JPO;	
			DERWENT; IBM TDB	
_	8	((@ad<=20010308 and ((throughput and	USPAT;	2004/06/26
		<pre>util\$) with partition)) not baskey.inv.) not international.as.</pre>	US-PGPUB; EPO; JPO;	21:03
		not international.as.	DERWENT;	
		/:	IBM_TDB USPAT;	2004/06/26
-	0	(inter\$1operability with operating) and (((@ad<=20010308 and ((throughput and	US-PGPUB;	20:59
		util\$) with partition)) not baskey.inv.)	EPO; JPO; DERWENT;	
		not international.as.)	IBM TDB	
-	3	(,	USPAT;	2004/06/27
		same ((util\$ throughput) and partition)	US-PGPUB; EPO; JPO;	09:01
			DERWENT;	
_	2	 @ad<=20010308 and ((calculat\$3 with	IBM_TDB USPAT;	2004/06/26
	-	resource with allocat\$) same ((util\$	US-PGPUB;	21:10
		throughput) and partition))	EPO; JPO; DERWENT;	
		[IBM_TDB	0004/05/55
-	3309628	throughput divid\$3 util\$	USPAT; US-PGPUB;	2004/06/26
			EPO; JPO;	
			DERWENT; IBM TDB	
_	103592	(throughput divid\$3 util\$) and partition	USPAT;	2004/06/26
		and @ad<=20010308	US-PGPUB; EPO; JPO;	21:15
			DERWENT;	
_	7	(determin\$3 with resource with allocat\$)	IBM_TDB USPAT;	2004/06/27
_	'	(determin\$3 with resource with allocat\$) same ((util\$ throughput) and partition)	US-PGPUB;	08:47
			EPO; JPO;	
	4		DERWENT; IBM TDB	
=	7	(o o a g p a a a a a a a a a a a a a a a a a	USPAT;	2004/06/26
		<pre>((determin\$3 with resource with allocat\$) same ((util\$ throughput) and partition))</pre>	US-PGPUB; EPO; JPO;	21:20
			DERWENT;	
		<u> </u>	IBM TDB	

Search History 6/27/04 10:38:39 AM Page 2

_	1	throughput adj3 d	ivid\$3 adj3 util\$	USPAT;	2004/06/26
				US-PGPUB;	21:21
1				EPO; JPO;	
1				DERWENT;	
				IBM TDB	
-	7	throughput adj3 o	ver adj3 util\$	USPĀT;	2004/06/26
				US-PGPUB;	21:21
				EPO; JPO;	
				DERWENT;	
				IBM_TDB	